



# Job Routing

| Op No | Operation           | Qty   | Start Date | Due Date | Standard  |         | Workcenter/Supplier     |           | Sign-off           |
|-------|---------------------|-------|------------|----------|-----------|---------|-------------------------|-----------|--------------------|
|       |                     |       |            |          | Setup Hrs | Run Hrs | Workcenter / Supplier   | Lead Time |                    |
| 90    | Start up Operation  | 1 Ea  | 4/29/19    | 4/29/19  | 0.00      | 0.00    | Start Up Stores/Pkg-1   |           | APR 17 2019        |
| 110   | Packaging           | 1 pcs | 4/29/19    | 4/29/19  | 0.00      | 0.00    | Packaging1-4            |           | DAS 46 MAY 15 2019 |
| 113   | Small Fab - 2 - B4B | 1 pcs | 4/29/19    | 4/29/19  | 0.00      | 1.00    | External Load - 1 - B4B |           | 9-89               |
|       |                     |       |            |          |           |         | External Load - 2 - B4B |           |                    |
|       |                     |       |            |          |           |         | External Load - 3 - B4B |           |                    |
|       |                     |       |            |          |           |         | Small Fab - 1 - B4B     |           |                    |
|       |                     |       |            |          |           |         | Small Fab - 2 - B4B     |           |                    |
|       |                     |       |            |          |           |         | Small Fab - 3 - B4B     |           |                    |
|       |                     |       |            |          |           |         | Small Fab - 4 - B4B     |           |                    |
|       |                     |       |            |          |           |         | Small Fab - 5 - B4B     |           |                    |
|       |                     |       |            |          |           |         | Small Fab - 6 - B4B     |           |                    |
|       |                     |       |            |          |           |         | Small Fab - 7 - B4B     |           |                    |
| 116   | QC 5                | 1 pcs | 4/29/19    | 4/29/19  | 0.00      | 0.00    | QC 5 - 10               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 12               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 17               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 18               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 19               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 22               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 24               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 3                |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 43               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 49               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 51               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 58               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 68               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 9                |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 50               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 30               |           |                    |
|       |                     |       |            |          |           |         | QC 5 - 40               |           |                    |
| 120   | QC                  | 1 pcs | 4/29/19    | 4/29/19  | 0.00      | 0.00    | QC4                     |           | DAS 46 MAY 15 2019 |
| 125   | Outsource           | 1 pcs | 4/29/19    | 4/29/19  | 0.00      | 0.00    | Outsource10             |           | 9-89               |
| 130   | Packaging           | 1 pcs | 4/29/19    | 4/29/19  | 0.00      | 0.00    | Packaging3-1            |           | 21 MAY 15 2019     |
| 135   | DC                  | 1 pcs | 4/29/19    | 4/29/19  | 0.00      | 0.00    | DC                      |           | 9-89 MAY 15 2019   |
| 140   | QC21-FG             | 1 Ea  | 4/29/19    | 4/29/19  | 0.00      | 0.00    | QC21                    |           | DAS 21 MAY 15 2019 |

Part Op 113 - REPLACE RECEPTACLE KIT AS PER DSI9815 \*\*\*TOUGH UP WITH PRIMER AND PAINT AS PER DSI\*\*\*  
 Descriptions: 125 - Issue PO to GL account 50000-25 to LEAVE W/O OPEN UNTIL SOLD PO HB043762 (Send copy of PO to Pall - James) Issue W/O LINE item for Pall for amount sold on sales order S/O 9779 according to sales price see Warran for amount. (if sale price is \$23,000 - amount is \$13,400) PO can be received immediately and given to finance in order to close work order.  
 130 - Identify and pack for shipping as per PPP D350-822-011  
 135 - Photocopy bluefile & type labels per PPP D350-822-011 CHG005

JUN 18 2019



# Job BOM

| Part / Item    | Component Name                                 | Quantity       | Operation               | Container   |
|----------------|------------------------------------------------|----------------|-------------------------|-------------|
| 650.0401       | Pureair Fairing Assembly                       | 1 pcs (1 ea)   | 90-Start up Operation   | 5132002     |
| 9752100180     | Gasket                                         | 1 Ea (1 ea)    | 90-Start up Operation   | 5176355     |
| 9945000120     | Gasket (for B3e models)                        | 1 pcs (1 ea)   | 90-Start up Operation   | 5116594     |
| AN821-12J      | Elbow (or AN821-12K or 12S)                    | 2 Ea (2 ea)    | 90-Start up Operation   | 5114748     |
| AN929-12J      | Cap                                            | 1 Ea (1 ea)    | 90-Start up Operation   | 5167336     |
| D4925-041      | Mounting Plate Assembly 218                    | 1 pcs (1 ea)   | 90-Start up Operation   | 5156015     |
| D4931-1        | Engine Fitting (for acft models B2 & previous) | 1 pcs (1 ea)   | 90-Start up Operation   | 5135837     |
| D4931-3        | Engine Fitting (For B3 Models)                 | 1 pcs (1 ea)   | 90-Start up Operation   | 5144286     |
| D4931-5        | Engine Fitting (for B3e models)                | 1 pcs (1 ea)   | 90-Start up Operation   | 5164968     |
| D4935-1        | Mounting Bracket 128                           | 6 pcs (6 ea)   | 90-Start up Operation   | 5136503     |
| D4943-1        | Flex Hose                                      | 1 pcs (1 ea)   | 90-Start up Operation   | 5169732     |
| D4961-041      | Tube Assembly 129                              | 1 pcs (1 ea)   | 90-Start up Operation   | 5167221     |
| D4961-043      | Tube Assembly                                  | 1 pcs (1 ea)   | 90-Start up Operation   | 5150302     |
| D5079-1        | Placard, Eaps                                  | 2 pcs (2 ea)   | 90-Start up Operation   | 5150985     |
| D5090-041      | Duct Assembly                                  | 1 pcs (1 ea)   | 90-Start up Operation   | 5129836     |
| D5105-1        | Handle                                         | 2 pcs (2 ea)   | 90-Start up Operation   | 5150312     |
| D5110-1        | Swivel Nut Fitting 142                         | 1 pcs (1 ea)   | 90-Start up Operation   | 5149881     |
| D5179-1        | Doubler 220                                    | 2 pcs (2 ea)   | 90-Start up Operation   | 5118074     |
| D5179-3        | Doubler                                        | 2 pcs (2 ea)   | 90-Start up Operation   | 5108072     |
| D5194-1        | Doubler 220                                    | 2 pcs (2 ea)   | 90-Start up Operation   | 5163492     |
| D5208-041      | Blanking Plate Assembly 147                    | 3 pcs (3 ea)   | 90-Start up Operation   | 5163322     |
| LN9038-05012   | Bolt                                           | 36 pcs (36 ea) | 90-Start up Operation   | 5144552     |
| LN9038-05040   | Bolt                                           | 1 pcs (1 ea)   | 90-Start up Operation   | 5119862     |
| LN9348-05      | Nut                                            | 32 pcs (32 ea) | 90-Start up Operation   | 5157955     |
| MS20470AD3-4   | Rivet, Universal Head                          | 18 Ea (18 ea)  | 90-Start up Operation   | FM136665-40 |
| MS21919WCH12   | Clamp                                          | 1 Ea (1 ea)    | 90-Start up Operation   | 5115303     |
| MS9592-138     | Bracket                                        | 1 pcs (1 ea)   | 90-Start up Operation   | 5116950     |
| NAS1149D0332J  | Washer                                         | 70 Ea (70 ea)  | 90-Start up Operation   | 5135473     |
| NAS43DD3-64    | Spacer                                         | 1 Ea (1 ea)    | 90-Start up Operation   | 5050057     |
| 22208CM050016E | Screw                                          | 2 pcs (2 ea)   | 90-Start up Operation   | 5126521     |
| 23350CA050     | Washer                                         | 2 Ea (2 ea)    | 90-Start up Operation   | 5013736     |
| 9945000160     | Gasket                                         | 1 Ea (1 ea)    | 90-Start up Operation   | 5107210     |
| D5526-1        | Upper Hose Protector                           | 1 pcs (1 ea)   | 90-Start up Operation   | 5118043     |
| D5526-3        | Lower Hose Protector                           | 1 pcs (1 ea)   | 90-Start up Operation   | 5175576     |
| LN9038-05016   | Bolt                                           | 2 pcs (2 ea)   | 90-Start up Operation   | 5117992     |
| BS4320-A5      | Washer                                         | 56 Ea (56 ea)  | 110-Packaging           | 5179479     |
| LN29985-A05    | Anchor Nut                                     | 15 pcs (15 ea) | 110-Packaging           | 5179481     |
| LN9038-05018   | Bolt                                           | 56 pcs (56 ea) | 110-Packaging           | 5179482     |
| MS20426AD3-3   | Rivet                                          | 40 Ea (40 ea)  | 110-Packaging           | 5179483     |
| QB21304        | Pureair Panel Assembly                         | 1 pcs (1 ea)   | 110-Packaging           | 5179476     |
| QB21308        | Fod Screen Assembly                            | 1 pcs (1 ea)   | 110-Packaging           | 5179477     |
| QB21310        | Transition Duct Assembly                       | 1 pcs (1 ea)   | 110-Packaging           | 5179478     |
| QR10616        | Vortex Tube Repair                             | 1 pcs (1 ea)   | 110-Packaging           | 5179480     |
| LN9038-05016   | Bolt                                           | 2 pcs (2 ea)   | 110-Packaging           |             |
| DSI 9816-041   | Replacement Receptacle                         | 1 pcs (1 ea)   | 113 Small Fab - 2 - B4B |             |

D5721-1 x1

736 sealant x1

for ELN19-639

5179400

5174441


| Job Allocations                    |                |          |           |           |
|------------------------------------|----------------|----------|-----------|-----------|
| Operation                          | Component Part | Required | Inventory | Allocated |
| 90-Start up Operation              | 22208CM050016E | 2        | 52        | 0         |
|                                    | 23350CA050     | 2        | 64        | 0         |
|                                    | 650.0401       | 1        | 15        | 0         |
|                                    | 9752100180     | 1        | 16        | 0         |
|                                    | 9945000120     | 1        | 18        | 0         |
|                                    | 9945000160     | 1        | 24        | 0         |
|                                    | AN821-12J      | 2        | 35        | 0         |
|                                    | AN929-12J      | 1        | 23        | 0         |
|                                    | D4925-041      | 1        | 9         | 0         |
|                                    | D4931-1        | 1        | 15        | 0         |
|                                    | D4931-3        | 1        | 12        | 0         |
|                                    | D4931-5        | 1        | 10        | 0         |
|                                    | D4935-1        | 6        | 45        | 0         |
|                                    | D4943-1        | 1        | 21        | 0         |
|                                    | D4961-041      | 1        | 12        | 0         |
|                                    | D4961-043      | 1        | 15        | 0         |
|                                    | D5079-1        | 2        | 46        | 0         |
|                                    | D5090-041      | 1        | 5         | 0         |
|                                    | D5105-1        | 2        | 16        | 0         |
|                                    | D5110-1        | 1        | 20        | 0         |
|                                    | D5179-1        | 2        | 11        | 0         |
|                                    | D5179-3        | 2        | 12        | 0         |
|                                    | D5194-1        | 2        | 21        | 0         |
|                                    | D5208-041      | 3        | 14        | 0         |
|                                    | D5526-1        | 1        | 3         | 0         |
|                                    | D5526-3        | 1        | 1         | 0         |
|                                    | LN9038-05012   | 36       | 493       | 0         |
|                                    | LN9038-05016   | 2        | 80        | 0         |
|                                    | LN9038-05040   | 1        | 43        | 0         |
|                                    | LN9348-05      | 32       | 515       | 0         |
|                                    | MS20470AD3-4   | 18       | 5,679     | 0         |
|                                    | MS21919WCH12   | 1        | 41        | 0         |
|                                    | MS9592-138     | 1        | 34        | 0         |
|                                    | NAS1149D0332J  | 70       | 3,478     | 0         |
|                                    | NAS43DD3-64    | 1        | 24        | 0         |
| 110-Packaging                      | BS4320-A5      | 56       | 6         | 0         |
|                                    | LN29985-A05    | 15       | 429       | 0         |
|                                    | LN9038-05016   | 2        | 80        | 0         |
|                                    | LN9038-05018   | 56       | 1,255     | 0         |
|                                    | MS20426AD3-3   | 40       | 1,346     | 0         |
|                                    | QB21304        | 1        | 0         | 0         |
|                                    | QB21308        | 1        | 0         | 0         |
|                                    | QB21310        | 1        | 0         | 0         |
|                                    | QR10616        | 1        | 0         | 0         |
|                                    | DSI 9815-011   | 1        | 26        | 0         |
| Part Specifications                |                |          |           |           |
| Specifications could not be found. |                |          |           |           |



|                                                                                                                                                                                                                                                             |                                                                |                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------|
| 1. Approving Competent Authority/Country<br>Civil Aviation Authority/ United Kingdom                                                                                                                                                                        | 2. <b>AUTHORISED RELEASE CERTIFICATE</b><br><b>EASA FORM 1</b> | 3. Form Tracking Number:<br>0152683            |
| 4. Organisation Name and Address:<br><b>PALL</b> Pall Corporation<br><b>PALL EUROPE LTD.</b><br><b>Pall Aerospace Division</b><br>Cardrew Industrial Estate, Redruth, Cornwall, TR15 1SS, UK<br>Tel No. 00 44 (0)1209 884200<br>Fax No. 00 44(0)1209 884310 |                                                                | 5. Work Order/Contract/ Invoice:<br>4503324242 |

| 6. Item | 7. Description       | 8. Part No. | 9. Qty | 10. Serial No.               | 11. Status/Work |
|---------|----------------------|-------------|--------|------------------------------|-----------------|
| 1       | PUREair AC Kit Iss 4 | QB05008     | 5      | RF3-4599 to 4601, 4603, 4604 | New             |


|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>12. Remarks</b><br>Dart Aerospace Ltd<br>1270 Aberdeen Street<br>Hawkesbury K6A 1K7<br>Ontario<br>CANADA<br><br>Pall Aerospace Batch No. RD19006343<br><br>DDP 642 Iss C REFERS.<br><br><i>Note - QB05008 is a Kit of following parts: QB21304, QB21310 &amp; QB21308.</i><br>(PALL REF - SAP ITEM No: 30)<br><br>Guidance and information on disposal / recycling of this product at the end of its life can be obtained from the "Disposal Instruction Guidance" section on Pall web site:<br><a href="https://aerospace.pall.com/en/disposal-instructions.html">https://aerospace.pall.com/en/disposal-instructions.html</a><br><br><b>Order No.</b> "STO" Order.<br><i>This document has been issued according to an approved computer-generated signature procedure.</i> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                                                                                                                                                            |                                                          |                                                                                                                                                                                                                                                                 |                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| <b>13a. Certifies that the items identified above were manufactured in conformity to:</b><br><input checked="" type="checkbox"/> approved design data and are in a condition for safe operation<br><input type="checkbox"/> non-approved design data specified in block 12 |                                                          | <b>14a.</b><br>Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service. |                                                          |
| <b>13b. Authorised Signature</b><br><br><b>Electronic Signature on File</b>                                                                                                             | <b>13c. Approval/Authorisation Number</b><br>UK.21G.2630 | <b>14b. Authorised Signature</b>                                                                                                                                                                                                                                | <b>14c. Certificate/Approval Ref. No</b><br>UK.145.00296 |
| <b>13d. Name</b><br>Ian England - Team Leader EAPs - 3105                                                                                                                                                                                                                  | <b>13e. Date (dd mmm yyyy)</b><br>29 Apr 2019            | <b>14d. Name</b>                                                                                                                                                                                                                                                | <b>14e. Date (dd mmm yyyy)</b>                           |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>USER/INSTALLER RESPONSIBILITIES</b><br>This certificate does not automatically constitute authority to install.<br>Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1.<br>Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown. |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# UNCONTROLLED DOWNLOADED COPY

Valid on 26 Apr 2019 only.



## PRODUCTION ACCEPTANCE TEST CERTIFICATE

*This is an Electronically controlled document which is maintained with Full Password Access for all users. The "Insp Stamp" column relates to an individual whose password is electronically controlled, a "wet stamp" is therefore no longer required.*

|                            |                |                    |                                                |                   |             |
|----------------------------|----------------|--------------------|------------------------------------------------|-------------------|-------------|
| <b>Test Unit Desc</b>      | Centrisep EAPS | <b>Issue</b>       | 4                                              | <b>Report No:</b> | FC1021      |
| <b>Drawing No</b>          | QB05008        | <b>Amdnt</b>       |                                                | <b>Serial No.</b> | RF3-4601    |
| <b>Part No</b>             | QB05008        | <b>Refers</b>      |                                                | <b>Batch No.</b>  | RD1900 6343 |
| <b>ECR / Concession No</b> | ECR R49216     | <b>Test Sched</b>  | ATPB05008                                      | <b>Issue</b>      | 4A          |
| <b>Cust Spec</b>           | RSB05008       | <b>Test Set-up</b> | GORDON MURRAY<br>FES BROWLEY<br>PETER DONNELLY | <b>Issue</b>      |             |
| <b>Test Fluid</b>          | Air            | <b>Assembler</b>   |                                                | <b>Tester</b>     | IAN ENGLAND |
| <b>Rig Or Test No</b>      |                | <b>Clock No.</b>   | 08003105                                       | <b>Date</b>       | 27/04/2017  |
| <b>Comment</b>             | MQC<br>3105    |                    |                                                |                   |             |
| <b>Insp/Approved By</b>    |                |                    |                                                |                   |             |

| No   | PROCEDURE                                                                                                                      | REQUIREMENT                            | RESULT    | Pass/Fail |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------|-----------|
| 3.1  | Check that the label requirements and part marking are in accordance with Sheet 2                                              | Confirm                                | CONFIRMED | PASS      |
| 3.2  | Ensure the QB05008 assembly conforms to the QB05008 Sheet 2 dimensions.                                                        | Confirm                                | CONFIRMED | PASS      |
| 3.3  | Check the weight of the unit does not exceed 10kg.                                                                             | Confirm                                | 8.48 Kg   | PASS      |
| 3.4  | Check that proof pressure and crack detect tests have been performed on manifold.                                              | Confirm<br>JWS NO 103184302<br>OP 0060 | CONFIRMED | PASS      |
| 3.5  | Check FOD screen mesh is intact with no broken mesh strands or irregular deformation.                                          | Confirm                                | CONFIRMED | PASS      |
| 3.6  | Check FOD screen receptacles are secure with no movement under finger pressure.                                                | Confirm                                | CONFIRMED | PASS      |
| 3.7  | Check FOD screen fits securely to receptacle plate and all 4 off studs engage positively with their corresponding receptacles. | Confirm<br>SEE ECR<br>R49216           | CONFIRMED | PASS      |
| 3.8  | Check retaining washer has been added to 4 off quarter turn studs.                                                             | N/A Confirm<br>ECR R49216              | CONFIRMED | PASS      |
| 3.9  | Check manifold port thread engagement. Ensure protective cap is fitted.                                                        | Confirm                                | CONFIRMED | PASS      |
| 3.10 | Check electrical bonding resistance is equal to or less than 100 milliohms.                                                    | Confirm                                | 1 mΩ      | PASS      |
| 4.1  | Check overall unit cleanliness.                                                                                                | Confirm                                | CONFIRMED | PASS      |
| 4.1a | Check there are no material imperfections or foreign matter embedded.                                                          | Confirm                                | CONFIRMED | PASS      |
| 4.1b | Check surface for unclean, rough, misaligned or containing cracks, nicks or other flaws.                                       | Confirm                                | CONFIRMED | PASS      |



# UNCONTROLLED DOWNLOADED COPY

|                                                         |                                                                                                                                                                                                           |         |           |      |
|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------|------|
| 4.1<br>c                                                | Check for any components that are missing, malformed, fractured or otherwise damaged.                                                                                                                     | Confirm | CONFIRMED | PASS |
| 4.1<br>d                                                | Check for any components that are loose or otherwise not securely retained.                                                                                                                               | Confirm | CONFIRMED | PASS |
| 4.1<br>e                                                | Check for incorrect assembling or improper positioning of components.                                                                                                                                     | Confirm | CONFIRMED | PASS |
| 4.1<br>f                                                | Check for faulty workmanship or other irregularities e.g. Marking. Check for missing, insufficient, incorrect, illegible or non permanent text.                                                           | Confirm | CONFIRMED | PASS |
| 4.1<br>g                                                | Check to ensure all components are installed and secured in accordance with drawing instructions.                                                                                                         | Confirm | CONFIRMED | PASS |
| 4.1<br>h                                                | Check that unit is free from all foreign objects: e.g. Swarf and rivet tails. Ensure unit is properly painted and is in a clean condition. Visually check unit for workmanship, no damage is permissible. | Confirm | CONFIRMED | PASS |
|                                                         | PASS/FAIL                                                                                                                                                                                                 |         |           |      |
| RESULTS OF TEST :- PASS<br>FINAL INSPECTION APPROVAL :- |                                                                                                                                                                                                           |         |           |      |



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

## ORDER ACKNOWLEDGEMENT

### CUSTOMER

**Customer Code:** CHWEL01

**Sold To:** Heli Welders Canada

Building 47, Unit #1, 21330 56th Avenue  
Langley BC V2Y 0E5  
Canada  
Phone: 604-530-5225

**Ship To:** Sundance Helicopters

#35 E. Dewey Drive, Hangar E1  
Las Vegas, NV 89119  
USA

### ORDER

**Order No :** 9779

**Date:** 2/6/19

**Ship-To Contact:** Jasmin Hart

**Email:** jasmin@heliwelders.com

**Cust PO No:** P13440

**FOB:** Shipping Point

**Ship Via:** FedEx 2nd Day

**Freight Terms:** PrePaid

**Terms:** Net 30

**INCO Terms:** Ex Works

**Order Taker:** Caitlin Crooks

**Order Taker Phone:**

**Order Taker Email:** ccrooks@dartaero.com

| Line No            | Due Date | Ship Date | Part         | Description/Note                     | Quantity | Unit | Price          | Unit | Extended Price   |
|--------------------|----------|-----------|--------------|--------------------------------------|----------|------|----------------|------|------------------|
| 1                  | 4/26/19  | 5/15/19   | D350-822-011 | PA100 PUREair System for AS350/EC130 | 4        | pcs  | \$25,000.00USD | pcs  | \$100,000.00 USD |
|                    |          |           |              | Special Discount (Sales)             |          |      | -20.20         |      | \$-20,200.00     |
| <b>Sub Total</b>   |          |           |              |                                      |          |      |                |      | \$79,800.00 USD  |
| <b>Grand Total</b> |          |           |              |                                      |          |      |                |      | \$79,800.00 USD  |

### ORDER NOTES

Fed Ex 2nd Day Acct# 133616926  
DO NOT INSURE SHIPMENTS  
Ref PO P001031S18

Remit to: DART Aerospace Ltd., 1270 Aberdeen Street, Hawkesbury, Ontario K6A 1K7 Canada

Tel: 613 632 5200

Fax: 613 632 5246

accounting@dartaero.com

GST/HST 10127 2607

Note: A minimum 15% restocking fee is applicable. Custom items are non-refundable. Full warranty details are available at [www.dartaerospace.com](http://www.dartaerospace.com)

#### International / US Wires:

Swift Code: CHASUS33 Bank Routing #: 021000021 Account #: 133281000

Bank Name: JPMorgan Chase Bank 201 St. Charles Ave., New Orleans, LA USA 70170

Account Name: DART Aerospace Ltd.

Notification October 2018: Our banking information has remained unchanged

Latest Revision Provided Unless Otherwise Requested

5176036 - 193410 ✓  
5176032 - 193411 ✓  
5174394 - 190155  
5170633 - 190156 ✓

11570 \$ X 4 =  
46280 \$  
CA